



Office of the Controller General of Patents, Designs & Trade Marks
Department of Industrial Policy & Promotion,
Ministry of Commerce & Industry,
Government of India

(<http://ipindia.nic.in/index.htm>)



INTELLECTUAL
PROPERTY INDIA
PATENTS | DESIGNS | TRADE MARKS
GEOGRAPHICAL INDICATIONS

(<http://ipindia.nic.in/index.htm>)

Application Details

APPLICATION NUMBER	202141006550
APPLICATION TYPE	ORDINARY APPLICATION
DATE OF FILING	17/02/2021
APPLICANT NAME	1 . Dr.L.K.Rex 2 . Dr.V.S.Sethuraman 3 . Mr.Akash Johari 4 . Mr.Pankaj Gupta 5 . Mr.Akshay.K.Uday 6 . Dr.D.S.Vijayan 7 . Mr.D.Antony Prabu 8 . Dr.G.Vijayakumar 9 . Dr.V.Manikandan 10 . Dr.S.Sudhakar
TITLE OF INVENTION	UTILIZATION OF BURR WASTES AS MICRO-REINFORCEMENTS IN CONCRETE TO OVERCOME DISPOSAL OF HAZARDOUS MATERIALS IN GLOBAL ENVIRONMENT
FIELD OF INVENTION	CHEMICAL
E-MAIL (As Per Record)	lkrphd1@gmail.com
ADDITIONAL-EMAIL (As Per Record)	
E-MAIL (UPDATED Online)	
PRIORITY DATE	
REQUEST FOR EXAMINATION DATE	--
PUBLICATION DATE (U/S 11A)	26/02/2021

Application Status

APPLICATION STATUS

Awaiting Request for Examination

[View Documents](#)

➡ Filed ➡ Published ➡ RQ Filed ➡ Under Examination ➡ Disposed

(12) PATENT APPLICATION PUBLICATION

(21) Application No.202141006550 A

(19) INDIA

(22) Date of filing of Application :17/02/2021

(43) Publication Date : 26/02/2021

(54) Title of the invention : UTILIZATION OF BURR WASTES AS MICRO-REINFORCEMENTS IN CONCRETE TO OVERCOME DISPOSAL OF HAZARDOUS MATERIALS IN GLOBAL ENVIRONMENT

(51) International classification

:C04B0014020000,
C04B0018140000,
C08L0023020000,
B28B0023020000,
D07B0005000000

(31) Priority Document No

:NA

(32) Priority Date

:NA

(33) Name of priority country

:NA

(86) International Application No

:NA

Filing Date

:NA

(87) International Publication No

: NA

(61) Patent of Addition to Application Number

:NA

Filing Date

:NA

(62) Divisional to Application Number

:NA

Filing Date

:NA

(71)Name of Applicant :

1)Dr.L.K.Rex

Address of Applicant :30/34, Annai Theresa Street, Kamaraj Nagar Extn, Gorimedu Puducherry-605006, India Tamil Nadu India

2)Dr.V.S.Sethuraman**3)Mr.Akash Johari****4)Mr.Pankaj Gupta****5)Mr.Akshay.K.Uday****6)Dr.D.S.Vijayan****7)Mr.D.Antony Prabu****8)Dr.G.Vijayakumar****9)Dr.V.Manikandan****10)Dr.S.Sudhakar**

(72)Name of Inventor :

1)Dr.L.K.Rex**2)Dr.V.S.Sethuraman****3)Mr.Akash Johari****4)Mr.Pankaj Gupta****5)Mr.Akshay.K.Uday****6)Dr.D.S.Vijayan****7)Mr.D.Antony Prabu****8)Dr.G.Vijayakumar****9)Dr.V.Manikandan****10)Dr.S.Sudhakar**

(57) Abstract :

Concrete is the basic engineering material used in most civil constructions. It is extremely used because of the ability to possess high compressive strength and be molded into any desired shape. In order to overcome the poor tensile strength of concrete, fibers are introduced in the matrix. In this idea, burr wastes obtained from the CNC turning process in the lathe industry were disposed of as wastes in open lands in the industries' proximity, causing a hazard to the environment. Hence, these wastes were tested as fiber material in the form of micro-reinforcements in the concrete. Burr wastes were added to the concrete in volume fractions $V_f=0\%$, 0.5%, 1.0%, 1.5% and 2.0% and tested for its compressive, split tensile and flexural strength. The experimental test results revealed that the compressive and flexural strength of burr waste concrete increased from 16.16% to 23.36% and 117% to 124%, respectively, for $V_f = 0.5\%$ to 2.0% at 28 days strength in comparison with concrete made without burr waste. The tensile strength of burr waste concrete increased up to 6.06% for $V_f = 0.5\%$ at 28 days strength when compared to conventional concrete. The experimental investigation observed that the addition of burr wastes as micro reinforcements in the concrete had significant improvement in concrete strength.

No. of Pages : 16 No. of Claims : 5