Full **Text Views** **Alerts**

Manage Content Alerts Add to Citation Alerts

Abstract

Document Sections

I. Introduction

II. Proposed Test System

III. Proposed Methodology

IV. Simulation Results and Discussion

V. Case Studies

Show Full Outline ▼

Authors

Figures

References

Keywords

Metrics

More Like This



PDF

Abstract: This paper designs a protection scheme method (PSM) for detection of faulty condition incident on the utility grid network with solar photovoltaic (PV) power generation. ... View more

▶ Metadata

Abstract:

This paper designs a protection scheme method (PSM) for detection of faulty condition incident on the utility grid network with solar photovoltaic (PV) power generation. A fault index (FI) is designed by decomposing the current waveform by application of Hilbert transform (HT), Stockwell transform (ST), and Alienation coefficient (ACF) for detection of faulty conditions. An index for ground with fault (GFI) is also designed to identify ground involvement during faulty event. Fault classification is performed using faulty phase numbers and GFI. It is established that PSM effectively identified and categorized the fault events including fault on phase-A and ground (AGF), fault on phases-A& B (ABF), fault on phases-A& B and ground (ABGF), fault on all phases (ABCF) and fault on all phases with ground (ABCGF). Performance of PSM is better compared to ACF based PSM. Study is validated on IEEE-13 nodes test system interfaced with a solar PV system.

Published in: 2022 Second International Conference on Advances in Electrical, Computing, Communication and Sustainable Technologies (ICAECT)

Date of Conference: 21-22 April 2022 INSPEC Accession Number: 21845415

Date Added to IEEE Xplore: 01 July 2022 DOI: 10.1109/ICAECT54875.2022.9807924

Publisher: IEEE ▶ ISBN Information:

Conference Location: Bhilai, India

Abhishek Gupta

Department of Electrical Engineering, SKIT, Jaipur, India

Ramesh Kumar Pachar

Department of Electrical Engineering, SKIT, Jaipur, India

Om Prakash Mahela Power System Planning Division, RVPN, Jaipur, India

Contents

I. Introduction

Authore

Power system protection has emerged as an important and most crucial problem for the network of power utilities due to penetration of high share of renewable energy (RE), wide application of flexible AC transmission system (FACTS), high voltage DC transmission system (HVDC), non-linear loads, switching events, and faulty events [1]. Solar energy penetration quantum to grid is continuously increasing in the network of utility grids. Converters of solar photo-voltaic (PV) systems and intermittent nature of solar generation affects the performance of protections scheme (PS) [2]. Signal processing methods such as Fourier transform (FT), Stockwell transform (ST), Hilbert Huang transform (HHT), and Wavelet transform (WT) are used for detection of fault events. The classification techniques used for categorization of fault events include Support Vector Machine (SVM), Artificial Neural Network (ANN), Fuzzy Logic (FL) system, Neuro-Fuzzy (NF) system, Genetic algorithm (GA), and Deep learning methods [3]. In [4], authors introduced a techniques for detection of power system faults in the presence of solar photo-voltaic (PV) system using discrete Wavelet transform (DWT). Performance of this technique is affected by the presence of noisy signals. A ST based method for identification of fault events pertaining with distribution network in the availability of solar energy is reported in [5]. A hybrid signal processing techniques for detection of fault events in the presence of solar PV generation is reported in [6].

Authors	
Abhishek Gupta	
Department of Electrical Engineering, SKIT, Jaipur, India	
Ramesh Kumar Pachar	
Department of Electrical Engineering, SKIT, Jaipur, India	
Om Prakash Mahela	
Power System Planning Division, RVPN, Jaipur, India	
Figures	~
References	~
Keywords	~
Metrics	~

More Like This

Overview of Control and Grid Synchronization for Distributed Power Generation Systems IEEE Transactions on Industrial Electronics 12/2/23, 2:32 PM

Published: 2006

Analysis of PI and PR controllers for distributed power generation system under unbalanced grid faults 2011 International Conference on Power and Energy Systems

Published: 2011

Show More

IEEE Personal Account

Purchase Details

Profile Information COMMUNICATIONS

US & CANADA: +1 800 678 4333

Follow f ∅ in □

CHANGE

USERNAME/PASSWORD

PAYMENT OPTIONS

VIEW PURCHASED **DOCUMENTS**

PREFERENCES

PROFESSION AND

TECHNICAL INTERESTS

EDUCATION

WORLDWIDE: +1 732 981 0060

Need Help?

CONTACT & SUPPORT

About IEEE Xplore | Contact Us | Help | Accessibility | Terms of Use | Nondiscrimination Policy | IEEE Ethics Reporting 🔀 | Sitemap | **IEEE** Privacy Policy

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity.

© Copyright 2023 IEEE - All rights reserved.

IEEE Account

- » Change Username/Password
- » Update Address

Purchase Details

- » Payment Options
- » Order History
- » View Purchased Documents

Profile Information

- » Communications Preferences
- » Profession and Education
- » Technical Interests

Need Help?

» US & Canada: +1 800 678 4333 » Worldwide: +1 732 981 0060

» Contact & Support

About IEEE Xplore | Contact Us | Help | Accessibility | Terms of Use | Nondiscrimination Policy | Sitemap | Privacy & Opting Out of Cookies

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity. © Copyright 2023 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.