


[Home](#) > [Proceedings of 17th Symposium on Earthquake Engineering \(Vol. 3\)](#) > Conference paper

# Effect of Vibration Induced by Dynamic Tests on an Adjacent Building—Finite Element Investigations

| Conference paper | First Online: 03 July 2023

| pp 641–653 | [Cite this conference paper](#)



## Proceedings of 17th Symposium on Earthquake Engineering (Vol. 3)

(SEE 2023)

[M. Bharathi](#) , [Dhiraj Raj](#)

**Dhiraj Raj** [View ORCID ID profile](#)

Department of Civil Engineering, MNIT Jaipur, Jaipur, Rajasthan, India

[View author publications](#)

You can also search for this author in

[PubMed](#) | [Google Scholar](#)

Part of the book



Included in the [17th Symposium in Earthquake Engineering](#)

387 Accesses [1 Citations](#)

## Abstract

Structures often experience vibrations generated by different sources that propagate through the soil mass. These vibrations might adversely affect the occupants immediately and building upon long exposure. These vibrations should be quantified and limited to the

permissible values recommended by the relevant standards. Pile driving during the construction process is one such source of vibration. Depending on the driving technique, the vibration is either transient or continuous. This paper presents experimental and numerical studies on vibrations induced in a nearby building from the dynamic load tests (similar to continuous source of vibration) on pile groups. Vibrations generated during the dynamic pile load tests were quantified at the source and different floor levels of an adjacent building in the form of acceleration and velocity–time histories. 2D finite element (FE) integrated model of the building with foundation, pile group with pile cap, and supporting soil mass has been developed in commercially available FE package ABAQUS. The integrated 2D FE models have been analysed for the combined effect of gravity and dynamic loading. The response obtained through the experiment is also compared with 2D FE analyses of the integrated building–pile group–soil system. The estimated vibration responses in terms of peak ground acceleration (PGA) and peak ground velocity (PGV) are compared with the specified maximum permissible limits recommended in the relevant standards and codes of practice.

 This is a preview of subscription content, [log in via an institution](#)  to check access.

## Access this chapter

Log in via an institution

 Chapter

EUR 29.95

Price includes VAT (India)

Available as PDF

Read on any device

Instant download

Own it forever

Buy Chapter

▼ eBook	EUR 239.67
▼ Softcover Book	EUR 279.99
▼ Hardcover Book	EUR 279.99

Tax calculation will be finalised at checkout

**Purchases are for personal use only**

[Institutional subscriptions](#) →

## References

1. Xia, H., Chen, J., Wei, P., Xia, C., De Roeck, G., Degrande, G.: Experimental investigation of railway train-induced vibrations of surrounding ground and a nearby multi-story building. *Earthq. Eng. Eng. Vib.* 8(1), 137–148 (2009).  
<https://doi.org/10.1007/s11803-009-8101-0>

[Article](#) [Google Scholar](#)

2. NSW: Assessing Vibration: A Technical Guideline. Department of Environment and Conservation, New South Wales, Australia (2006)

[Google Scholar](#)

3. ISO: Evaluation of human exposure to whole-body vibration Part 2: Continuous and shock-induced vibration in buildings (1–80 Hz). ISO 2631–2. International Organization for Standardization, Geneva, Switzerland (1989)

[Google Scholar](#)

4. BSI: Guide to evaluation of human exposure to vibration in buildings (1 Hz to 80 Hz). BS 6472. British Standards Institution, Chiswick High Road, London (1992)

[Google Scholar](#)

5. GB/T: Technical specifications for protection of historic buildings against man-made vibration. GB/T 50452. China Building Industry Press (in Chinese), Beijing (2008)

[Google Scholar](#)

6. ASCE: Seismic Evaluation and Retrofit of Existing Buildings. SEI 41-13. American Society of Civil Engineers, Reston, Virginia (2014).

<https://doi.org/10.1061/9780784412855>

7. UNI: Criteri di misura e valutazione degli effetti delle vibrazioni sugli edifici (Criteria for the measurement of vibrations and the assessment of their effects on buildings). UNI 9916. Ente Nazionale Italiano di Unificazione (UNI), Milano, Italia (1991)

[Google Scholar](#)

8. SNV: Les ébranlements - Effet des ébranlements sur les constructions (Vibration effects on buildings). SN-640-312a. Schweizerische Normen-Vereinigung (Swiss Association for Standardization), Winterthur, Switzerland (1992)

[Google Scholar](#)

9. FRA: High-speed ground transportation noise and vibration impact assessment. DOT-293630-1. Federal Railroad Administration, U.S. Department of Transportation, Washington, DC (1998)

[Google Scholar](#)

10. BIS: Mechanical vibration and shock—Vibration of buildings—Guidelines for the measurement of vibrations and evaluation of their effects on buildings. IS 14884.

Bureau of Indian Standards, New Delhi, India (2000)

[Google Scholar](#)

11. Degrande, G., Schevenels, M., Chatterjee, P., Van de Velde, W., Hölscher, P., Hopman, V., Wang, A., Dadkash, N.: Vibrations due to a test train at variable speeds in a deep bored tunnel embedded in London clay. *J. Sound Vib.* **293**(3), 626–644 (2006).  
<https://doi.org/10.1016/j.jsv.2005.08.039>

[Article](#) [Google Scholar](#)

12. Xia, H., Zhang, N., Cao, Y.M.: Experimental study of train-induced vibrations of environments and buildings. *J. Sound Vib.* **280**(3), 1017–1029 (2005).  
<https://doi.org/10.1016/j.jsv.2004.01.006>

[Article](#) [Google Scholar](#)

13. Sanayei, M., Kayiparambil, P.A., Moore, J.A., Brett, C.R.: Measurement and prediction of train-induced vibrations in a full-scale building. *Eng. Struct.* **77**, 119–128 (2014). <https://doi.org/10.1016/j.engstruct.2014.07.033>

[Article](#) [Google Scholar](#)

14. Zou, C., Wang, Y., Moore, J.A., Sanayei, M.: Train-induced field vibration measurements of ground and over-track buildings. *Sci. Total Environ.* **575**, 1339–1351 (2017). <https://doi.org/10.1016/j.scitotenv.2016.09.216>

[Article](#) [Google Scholar](#)

15. Bharathi, M., Raj, D., Singh, Y.: Metro train-induced vibration measurement on buildings. In: Sitharam, T.G., Kolathayar, S., Jakka, R. (eds.) *Earthquakes and Structures*. Springer Singapore (2022). [https://doi.org/10.1007/978-981-16-5673-6\\_16](https://doi.org/10.1007/978-981-16-5673-6_16)

16. Crispino, M., D'Apuzzo, M.: Measurement and prediction of traffic-induced vibrations in a heritage building. *J. Sound Vib.* **246**(2), 319–335 (2001).  
<https://doi.org/10.1006/jsvi.2001.3648>  
[Article](#) [Google Scholar](#)
  
17. Bertero, R.D., Lehmann, A., Mussat, J., Vaquero, S.: Vibrations in neighborhood buildings due to rock concerts in stadiums. *J. Struct. Eng.* **139**(11), 1981–1991 (2013).  
[https://doi.org/10.1061/\(ASCE\)ST.1943-541X.0000756](https://doi.org/10.1061/(ASCE)ST.1943-541X.0000756)  
[Article](#) [Google Scholar](#)
  
18. Rooz, A. F. H., Hamidi, A.: Numerical analysis of factors affecting ground vibrations due to continuous impact pile driving. *Int. J. Geomech.* **17**(12) (2017).  
[https://doi.org/10.1061/\(ASCE\)GM.1943-5622.0001016](https://doi.org/10.1061/(ASCE)GM.1943-5622.0001016)
  
19. Rezaei, M., Hamidi, A., Farshi Homayoun Rooz, A.: Investigation of peak particle velocity variations during impact pile driving process. *Civ. Eng. Infrastruct. J.* **49**(1), 59–69 (2016). <https://doi.org/10.7508/cej.2016.01.005>  
[Article](#) [Google Scholar](#)
  
20. Hesami, S., Ahmadi, S., Ghalesari, A.T.: Numerical modeling of train-induced vibration of nearby multi-story building: a case study. *KSCE J. Civ. Eng.* **20**(5), 1701–1713 (2016). <https://doi.org/10.1007/s12205-015-0264-9>  
[Article](#) [Google Scholar](#)
  
21. Hall, L.: Simulations and analyses of train-induced ground vibrations in finite element models. *Soil Dyn. Earthq. Eng.* **23**(5), 403–413 (2003).  
[https://doi.org/10.1016/S0267-7261\(02\)00209-9](https://doi.org/10.1016/S0267-7261(02)00209-9)  
[Article](#) [Google Scholar](#)

22. Real, T., Zamorano, C., Ribes, F., Real, J.I.: Train-induced vibration prediction in tunnels using 2D and 3D FEM models in time domain. *Tunn Undergr. Sp Tech.* **49**, 376–383 (2015). <https://doi.org/10.1016/j.tust.2015.05.004>
- [Article](#) [Google Scholar](#)
23. Hung, H.H., Chen, G.H., Yang, Y.B.: Effect of railway roughness on soil vibrations due to moving trains by 2.5D finite/infinite element approach. *Eng. Struct.* **57**, 254–266 (2013). <https://doi.org/10.1016/j.engstruct.2013.09.031>
- [Article](#) [Google Scholar](#)
24. Yang, Y.B., Liang, X., Hung, H.-H., Wu, Y.: Comparative study of 2D and 2.5D responses of long underground tunnels to moving train loads. *Soil Dyn. Earthq. Eng.* **97**, 86–100 (2017). <https://doi.org/10.1016/j.soildyn.2017.02.005>
- [Article](#) [Google Scholar](#)
25. Lopes, P., Costa, P.A., Ferraz, M., Calçada, R., Cardoso, A.S.: Numerical modeling of vibrations induced by railway traffic in tunnels: From the source to the nearby buildings. *Soil Dyn. Earthq. Eng.* **61–62**, 269–285 (2014). <https://doi.org/10.1016/j.soildyn.2014.02.013>
- [Article](#) [Google Scholar](#)
26. Bian, X., Jiang, H., Chang, C., Hu, J., Chen, Y.: Track and ground vibrations generated by high-speed train running on ballastless railway with excitation of vertical track irregularities. *Soil Dyn. Earthq. Eng.* **76**, 29–43 (2015). <https://doi.org/10.1016/j.soildyn.2015.02.009>
- [Article](#) [Google Scholar](#)

27. El Kacimi, A., Woodward, P.K., Laghrouche, O., Medero, G.: Time domain 3D finite element modelling of train-induced vibration at high speed. *Comput. Struct.* **118**(Supplement C), 66–73 (2013). <https://doi.org/10.1016/j.compstruc.2012.07.011>
28. Mhanna, M., Sadek, M., Shahrour, I.: Numerical modeling of traffic-induced ground vibration. *Comput. Geotech.* **39**, 116–123 (2012). <https://doi.org/10.1016/j.compgeo.2011.07.005>

[Article](#) [Google Scholar](#)

29. Ju, S.-H.: Finite element investigation of traffic induced vibrations. *J. Sound Vib.* **321**(3), 837–853 (2009). <https://doi.org/10.1016/j.jsv.2008.10.031>

[Article](#) [Google Scholar](#)

30. Shih, J.Y., Thompson, D.J., Zervos, A.: The effect of boundary conditions, model size and damping models in the finite element modelling of a moving load on a track/ground system. *Soil Dyn. Earthq. Eng.* **89**, 12–27 (2016). <https://doi.org/10.1016/j.soildyn.2016.07.004>

[Article](#) [Google Scholar](#)

31. Galvín, P., Romero, A., Domínguez, J.: Fully three-dimensional analysis of high-speed train–track–soil–structure dynamic interaction. *J. Sound Vib.* **329**(24), 5147–5163 (2010). <https://doi.org/10.1016/j.jsv.2010.06.016>

[Article](#) [Google Scholar](#)

32. Kouroussis, G., Van Parys, L., Conti, C., Verlinden, O.: Using three-dimensional finite element analysis in time domain to model railway-induced ground vibrations. *Adv. Eng. Softw.* **70**, 63–76 (2014). <https://doi.org/10.1016/j.advengsoft.2014.01.005>

[Article](#) [Google Scholar](#)



33. Bharathi, M., Dubey, R.N., Shukla, S.K.: Experimental investigation of vertical and batter pile groups subjected to dynamic loads. *Soil. Dyn. Earthq. Eng.* **116**, 107–119 (2019). <https://doi.org/10.1016/j.soildyn.2018.10.012>

[Article](#) [Google Scholar](#)

34. EQ:2017-16: Delhi metro induced vibration measurement on various buildings (trans: Engineering DoE). Indian Institute of Technology Roorkee, Roorkee, India (2017)

[Google Scholar](#)

35. Thandavamoorthy, T.S.: Piling in fine and medium sand—a case study of ground and pile vibration. *Soil Dyn. Earthq. Eng.* **24**(4), 295–304 (2004). <https://doi.org/10.1016/j.soildyn.2003.12.005>

[Article](#) [Google Scholar](#)

36. Abaqus/CAE: ABAQUS Documentation. Dassault Systèmes, Providence, RI, USA (2016)

[Google Scholar](#)

37. Bharathi, M.: Dynamic Behaviour of Batter Piles and Pile Groups. Department of Earthquake Engineering, IIT Roorkee, India (2019)

[Google Scholar](#)

38. Lysmer, J., Kuhlemeyer, R.L.: Finite dynamic model for infinite media. *J. Eng. Mech. Div-ASCE* **95**(4), 859–878 (1969)

[Article](#) [Google Scholar](#)

39. Lysmer, J., Drake, L.A.: A finite element method for seismology. In: Bolt, B.A. (ed.) *Methods in Computational Physics: Advances in Research and Applications*, vol. 11,

pp. 181–216. Elsevier. <https://doi.org/10.1016/B978-0-12-460811-5.50009-X>

40. Kuhlemeyer, R.L., Lysmer, J.: Finite element method accuracy for wave propagation problems. *J. Soil Mech. Found Div-ASCE* **99**(5), 421–427 (1973)

[Article](#) [Google Scholar](#)

41. Semblat, J.-F., Brioist, J.J.: Efficiency of higher order finite elements for the analysis of seismic wave propagation. *J. Sound Vib.* **231**(2), 460–467 (2000).

<https://doi.org/10.1006/jsvi.1999.2636>

[Article](#) [Google Scholar](#)

42. SAP2000: v20, Computers and Structures Inc. Berkeley (2018)

[Google Scholar](#)

## Acknowledgements

---

The authors are thankful to the Department of Earthquake Engineering, IIT Roorkee, India for providing all the facilities necessary for this investigation.

## Author information

---

### Authors and Affiliations

Department of Civil Engineering, SKIT Jaipur, Jaipur, Rajasthan, India

M. Bharathi

Department of Civil Engineering, MNIT Jaipur, Jaipur, Rajasthan, India

Dhiraj Raj

Department of Earthquake Engineering, IIT Roorkee, Roorkee, Uttarakhand, India

R. N. Dubey

## Corresponding author

Correspondence to [M. Bharathi](#) .

## Editor information

---

### Editors and Affiliations

Department of Earthquake Engineering, Indian Institute of Technology Roorkee,  
Roorkee, Uttarakhand, India

Manish Shrikhande

Department of Earthquake Engineering, Indian Institute of Technology Roorkee,  
Roorkee, India

Pankaj Agarwal

Department of Earthquake Engineering, Indian Institute of Technology Roorkee,  
Roorkee, Uttarakhand, India

P. C. Ashwin Kumar

## Rights and permissions

---

[Reprints and permissions](#)

## Copyright information

---

© 2023 The Author(s), under exclusive license to Springer Nature Singapore Pte Ltd.

## About this paper

---

### Cite this paper

Bharathi, M., Raj, D., Dubey, R.N. (2023). Effect of Vibration Induced by Dynamic Tests on an Adjacent Building—Finite Element Investigations. In: Shrikhande, M., Agarwal, P., Kumar, P.C.A. (eds) Proceedings of 17th Symposium on Earthquake Engineering (Vol. 3). SEE 2022. Lecture Notes in Civil Engineering, vol 331. Springer, Singapore.

[https://doi.org/10.1007/978-981-99-1579-8\\_51](https://doi.org/10.1007/978-981-99-1579-8_51)

[.RIS](#)↓ [.ENW](#)↓ [.BIB](#)↓

**DOI**

[https://doi.org/10.1007/978-981-99-1579-8\\_51](https://doi.org/10.1007/978-981-99-1579-8_51)

**Published**

03 July 2023

**Publisher Name**

Springer, Singapore

**Print ISBN**

978-981-99-1578-1

**Online ISBN**

978-981-99-1579-8

**eBook Packages**

Engineering

Engineering (R0)

## Publish with us

---

[Policies and ethics](#) 