

RESEARCH ARTICLE | MAY 08 2023

Webometric study on usage of nanomaterials in pavement construction



Prachi Kushwaha; Nishant Sachdeva; Anirudh Mathur;
Avanish Singh Chauhan ; Gaurav Kumar Badhotiya

— Author & Affiliations **Avanish Singh Chauhan ^{d)}**

d) Corresponding author: ² Manipal University Jaipur, Dehmi Kalan, Jaipur,
Rajasthan, India

a) [prachi04](#)

b) [nishants](#)

c) [anirudh.](#)

e) [gkb.cho](#)

d) Corresponding author:
avanish1609@gmail.com

Search for other works by this author on:

[This Site](#)

[PubMed](#)

AIP Conf. Pro

<https://doi.org>

[Google Scholar](#)

This paper attempts to provide a mapping of the state of research in the area of nanomaterial's usage in pavement construction. Nanomaterials have shown a great potential in variety of applications including construction activities. Nanomaterials have found increasing utility in modifying the properties of pavement construction materials for different layers of pavement from subgrade to surface course. The publication data pertaining to application of nanomaterials in pavement construction is gathered and quantitative analysis is conducted for generating insights based on info metrics. The webometric study is conducted based on year of publication, type of document, journals, location of study, authorship, and keywords occurrence. This study is useful in exploring the impact of nanomaterials in pavement construction industry.

Topics

[Nanomaterials](#), [Industry](#), [Scholarly publishing](#), [Journal](#)

REFERENCES

1. Kushwaha, P., and Swami, B. L. (2019). A study on moisture susceptibility of foamed bitumen mix containing reclaimed asphalt pavement. *Transportation Infrastructure Geotechnology*, 6(2), 89–104.
<https://doi.org/10.1007/s40515-019-00072-z>
[Google Scholar](#) [Crossref](#)
2. Zeng, L., Xiao, L., Zhang, J., and Fu, H. (2020). The role of nanotechnology in subgrade and pavement engineering: a review. *Journal of nanoscience and nanotechnology*, 20(8), 4607–4618. <https://doi.org/10.1166/jnn.2020.18491>
[Google Scholar](#) [Crossref](#) [PubMed](#)
3. Kushwaha, P., Chauhan, A. S., Swami, S., and Swami, B. L. (2021). Investigating the effects of nanochemical-based ionic stabilizer and co-polymer on soil properties for pavement construction. *International Journal of Geotechnical Engineering*, 15(3), 379–388.
<https://doi.org/10.1080/19386362.2019.1635817>
[Google Scholar](#) [Crossref](#)
4. Yadav, J. S., Hussain, S., Tiwari, S. K., and Garg, A. (2019). Assessment of the load–deformation behaviour of rubber fibre–reinforced cemented clayey soil. *Transportation Infrastructure Geotechnology*, 6(2), 105–136.
<https://doi.org/10.1007/s40515-019-00073-y>
[Google Scholar](#) [Crossref](#)
5. Srivastava, R., Kushwaha, P., and Swami, B. L. (2016). Suitability of nano-chemical stabilizer in black cotton soil. *International Journal of Civil and Structural Engineering ISSN*, 2372–3971.
[Google Scholar](#)
6. Li, R., Xiao, F., Amirkhanian, S., You, Z., and Huang, J. (2017). Developments of nano materials and technologies on asphalt materials–A review. *Construction and Building Materials*, 143, 633–648.
<https://doi.org/10.1016/j.conbuildmat.2017.03.158>
[Google Scholar](#) [Crossref](#)
7. Chakravarty, H., and Sinha, S. (2020). Moisture damage of bituminous pavements and application of nanotechnology in its prevention. *Journal of Materials in Civil Engineering*,

32(8), 03120003.

[https://doi.org/10.1061/\(ASCE\)MT.1943-5533.0003293](https://doi.org/10.1061/(ASCE)MT.1943-5533.0003293)

[Google Scholar](#) [Crossref](#)

8. Deepa, P., Laad, M., and Singh, R. (2019). An overview of use of nanoadditives in enhancing the properties of pavement construction binder bitumen. *World Journal of Engineering*.

9. Chauhan, A. S., Nepal, B., Soni, G., and Rathore, A. P. S. (2018). Examining the state of risk management research in new product development process. *Engineering Management Journal*, 30(2), 85–97.

<https://doi.org/10.1080/10429247.2018.1446120>

[Google Scholar](#) [Crossref](#)

10. Badhotiya, G. K., Soni, G., Chauhan, A. S., and Prakash, S. (2016). Green supply chain management: review and framework development. *International Journal of Advanced Operations Management*, 8(3), 200–224.

<https://doi.org/10.1504/IJAOM.2016.081305>

[Google Scholar](#) [Crossref](#)

11. Chowdhury, S., Sharma, A., and Chauhan, A. S. (2021). A review on the analogy between a quadrotor and trirotor: Mathematical modeling and control design and its outcome. *Materials Today: Proceedings*.

12. Prakash, M., Badhotiya, G. K., and Chauhan, A. S. (2019, September). A review on mechanical and wear characteristics of particulate reinforced Al-alloy based MMC. *In AIP Conference Proceedings* (Vol. 2148, No. 1, p. 030021). AIP Publishing LLC.

<https://doi.org/10.1063/1.5123943>

[Google Scholar](#) [Crossref](#)

13. Karwasra, K., Kumar, D., Soni, G., and Prakash, S. (2021). Webometric Study of Lean Manufacturing. *In Advances in Production and Industrial Engineering* (pp. 309-322). Springer, Singapore.

[Google Scholar](#)

14. Van Eck, N. J., and Waltman, L. (2010). Software survey: VOSviewer, a computer program for bibliometric mapping. *scientometrics*, 84(2), 523–538.

<https://doi.org/10.1007/s11192-009-0146-3>

[Google Scholar](#) [Crossref](#) [PubMed](#)

15. Li, H., Zhang, M. H., and Ou, J. P. (2006). Abrasion resistance of concrete containing nano-particles for pavement. *Wear*, 260(11-12), 1262–1266.

<https://doi.org/10.1016/j.wear.2005.08.006>

[Google Scholar](#) [Crossref](#)

16. Goh, S. W., Akin, M., You, Z., and Shi, X. (2011). Effect of deicing solutions on the tensile strength of micro-or nano-modified asphalt mixture. *Construction and Building Materials*, 25(1), 195–200.

<https://doi.org/10.1016/j.conbuildmat.2010.06.038>

[Google Scholar](#) [Crossref](#)

This content is only available via PDF.

©2023 Authors. Published by AIP Publishing.

You do not currently have access to this content.

Pay-Per-View Access
\$40.00

 [BUY THIS ARTICLE](#)

Sign In

Username

Password

[Register](#)

[Reset
password](#)

[Sign in via your Institution](#)

