

Lecture Notes in Electrical Engineering 546

Vijay Janyani
Ghanshyam Singh
Manish Tiwari
Antonio d'Alessandro *Editors*

Optical and Wireless Technologies

Proceedings of OWT 2018

 Springer

Contents

Performance Evaluation of Transparent and Non-transparent Flexible Antennas 1
 Maitri Kantharia, Arpan Desai, Parbhesh Mankodi, Trushit Upadhyaya and Riki Patel

Analyzing Frequency Spectra of Signals Generated by Chaotic DC-DC Converter and Its Application in Secure Communication 9
 Manish Kumar Thukral, Karma Sonam Sherpa and Kumkum Garg

Survivability Standard Techniques Implementation in Fiber Optic Networks (SSTIFON)—An Overview 19
 K. V. S. S. S. Sairam and Chandra Singh

Design and Analysis of Novel Dispersion Compensating Model with Chirp Fiber Bragg Grating for Long-Haul Transmission System 29
 Deepika Meena and M. L. Mecna

External Modulation Using MZM for Visible Wavelengths 37
 Poonam Devi and Ravi Kumar Maddila

A Detailed Survey of Rectenna for Energy Harvesting: Over a Wide Range of Frequency 43
 Rachit Dana, Parthit Sarthara, Akshay Sanghani and Prarthan Mehta

Trap-Assisted Enlarged Photoresponsivity of Er-Doped In₂O₃ Thin Films 57
 Anupam Ghosh, Shyam Murti Manohar Dhar Dwivedi and Aniruddha Mondal

Optical Wireless Hybrid Networks for 5G 65
 Laxmi Sharma, Abhishek Javali, Sutapa Sarkar, Richa Tengshe, Mahesh K. Jha and Sudhir K. Routray

xxi

Contents

Interference Minimized Slot Scheduling for Coexisting WBANS: Delay and Priority-Based Approach 193
 Prajna Paramita Pradhan and Sanghita Bhattacharjee

Design and Analysis of Refractive Index Sensor Based on Dual-Core Photonic Crystal Fiber (DC-PCF) with Rectangular Air Hole Lattice Structure 207
 Vishal Chaudhary and Dharmendra Kumar

Gain and Bandwidth Enhancement by Optimizing Four Elements Corporate-Fed Microstrip Array for 2.4 GHz Applications 215
 D. Shashi Kumar and S. Suganthi

Speaker Identification Through Natural and Whisper Speech Signal 223
 Amrita Singh and Amit M. Joshi

Design of Y-Shaped Immensely Wideband Printed Monopole Antenna with Three Notched Bands 233
 H. S. Mewara, J. K. Deegwal and M. M. Sharma

A Printed Ultra-wideband Monopole Antenna with Triple Band Notch Characteristics 243
 H. S. Mewara, J. K. Deegwal and M. M. Sharma

Parabolic Pulse Generation at 1550 nm Raman Amplifier Utilizing High Power Pump Laser 253
 Dipika D. Pradhan and Abhilash Mandloi

Performance Evaluation of Polar Code for Ultrareliable Low Latency Applications of 5G New Radio 261
 Arti Sharma and Mohammad Salim

Low Confinement Loss Solid Core Rectangular Photonic Crystal Fiber 271
 Shahli Tabassum, Shahiruddin, Dharmendra K. Sing and M. A. Hassan

Integration of Contactless Power Measuring Instruments to PLC and SCADA Through Industrial Wireless Sensor Network for EMS 279
 B. Ajeya and Shweta Vincent

An Overview of Smart Identity Cards for Educational Institutions 293
 Rupesh Acharya, Saroj Jakhar, Durgesh Kumar and Garima Mathur

Design of High Birefringence with Two Zero Dispersion Wavelength and Highly Nonlinear Hybrid Photonic Crystal Fiber 301
 Vijay Shanker Chaudhary, Dharmendra Kumar and Sneha Sharma

xxiii

xxii

Contents

A Dual-Band Minkowski-Shaped MIMO Antenna to Reduce the Mutual Coupling 73
 K. Vasu Babu and B. Anuradha

A Novel EBG-Loaded Dual Band-Notched UWB Antenna 79
 Jaiverdhan, Ajay Yadav, Nikhil Temani, M. M. Sharma and R. P. Yadav

Time-Correlated MIMO Channels Using Decision Feedback Receiver 89
 A. Muthumanickam and N. Janakiraman

Link Budget Profile for Infrared FSO Link with Aerial Platform 101
 Rahul Bosu and Shanthi Prince

Design of Optical Quaternary Multiplier Circuit Using Polarization Switch 111
 Sumana Mandal, Dhoundendra Mandal, Mrinal Kanti Mandal and Sisir Kumar Garai

Coverage Optimization of a VLC-Based Smart Room with Genetic Algorithm 121
 Koyyada Dinesh Kumar, Ravi Kumar Maddila and Satyasai Jagannath Nanda

A Compact Wideband Polygon Patch Antenna for Ku-Band Applications 129
 G. Anjaneyulu, T. A. N. S. N. Varma and J. Siddhartha Varma

Design of Uniform Linear Practical Antenna Arrays for Ultralow 137
 T. A. N. S. N. Varma and G. Anjaneyulu

On Maximizing Blind Rendezvous Probability in Cognitive Radio Ad Hoc Networks 149
 Aishwarya Sagar Anand Ukey and Meenu Chawla

Effects of Core Count and Layout on the Bending-Radius-Dependent Crosstalk Variations in Heterogeneous and Trench-Assisted Heterogeneous Multicore Fiber 161
 Umar Farooque and Rakesh Ranjan

Impact of Air-Sea Interface Effects and Bubble and Particulate Scattering on Underwater Light Field Distribution: An Implication to Underwater Wireless Optical Communication System 171
 Rashmita Sahoo, Palanisamy Shanmugam and Sanjay Kumar Sahu

Strain Resolution and Spatial Resolution Improvement of BOCDR-Based DSS System Using Particle Swarm Optimization Algorithm 179
 Ranji Tangudu and Prasant Kumar Sahu

xxiv

Contents

A Review on Code Families for SAC-OCDMA Systems 307
 Soma Kumawat and M. Ravi Kumar

OFDM over Optical Fiber 317
 Usha Choudhary and Vijay Janyani

High Contrast Ratio Based All-Optical OR and NOR Plasmonic Logic Gate Operating at E Band 325
 Mainka, Shivani Sharma, Rukhsar Zafar, Mohammad Hossein Mahdih, Ghanshyam Singh and Mohammad Salim

Defected Ground Structure Microstrip Antenna for WIMAX 333
 Ajay Thatere and Prasanna L. Zade

Fractal MIMO Antenna for Wireless Application 347
 Sachin S. Khude and Pallavi D. Bire

Microstrip Patch Antenna Array for UWB Application 357
 Rajat Yadav and Rajan Mishra

Review for Capacity and Coverage Improvement in Aerially Controlled Heterogeneous Network 365
 Akshita Gupta, Shriya Sundhan, S. H. Alsamhi and Sachin Kumar Gupta

Modified μ -Law Companding Transform for PAPR Reduction in SC-FDMA Systems 377
 K. Shri Ranlej and S. Anuradha

Performance Analysis of Free Space Optical Communication System Using Different Modulation Schemes over Weak to Strong Atmospheric Turbulence Channels 387
 Suman Malik and Prasant Kumar Sahu

Investigation of Nonlinear Effects in Electronically Pattern Reconfigurable Hexagon-Shaped Loop Antenna 401
 Arun Pant, Lalit Kumar and Manoj Singh Parihar

An Offset CPW-Fed Dual-Band Circularly Polarized Printed Antenna for Multiband Wireless Applications 411
 Venuka Sankhla and Ashok Kumar

Comparative Study of Interferometer and Ring Resonator Based Biosensors: A Review 419
 Nitesh Mudgal, Ankit Agarwal, Ankur Saharia, Sourabh Sahu, Ashish Kumar Ghunawat and Ghanshyam Singh

A Comparative Study of Various All-Optical Logic Gates 429
 Ankur Saharia, Nitesh Mudgal, Ankit Agarwal, Sourabh Sahu, Sanjeev Jain, Ashish Kumar Ghunawat and Ghanshyam Singh

Supercontinuum Generation at 3100 nm in Dispersion-Engineered $As_{38.8}Se_{61.2}$-Based Chalcogenide Photonic Crystal Fibers	439
Shruti Kalra, Sandeep Vyas, Edris Faizabadi, Manish Tiwari and Ghanshyam Singh	
Gap Coupled Swastika-Shaped Patch Antenna for X and Ku Band Applications	449
Brijesh Mishra, Vivek Singh and Rajeev Singh	
Highly Sensitive Octagonal Photonic Crystal Fiber for Ethanol Detection	457
Ashish Kumar Ghunawat, Sharad Sharma, Sourabh Sahu and Ghanshyam Singh	
Design and Studies of Bandstop Filters Using Modified CSRR DGS for WLAN Applications	467
Arjun Kumar, Ashok Kumar, Ashok Kumar and M. V. Kartikeyan	
Novel Security Enhancement Technique for OCDMA and SAC OCDMA Against Eavesdropping Using Multi-diagonal Code and Gating Scheme	477
Teena Sharma and M. Ravi Kumar	
Photonic Integration Based on Liquid Crystals for Low Driving Voltage Optical Switches	487
Antonio d'Alessandro, Luca Civita and Rita Asquini	
Design and Analysis of Decagonal Photonic Crystal Fiber for Liquid Sensing	495
Kuntal Panwar and Ritu Sharma	
Design and Implementation of Multiband Planar Antenna with DGS for Wireless Applications	503
Pravin Tajane and Prasanna L. Zade	
Performance of QPSK Modulation for FSO Under Different Atmospheric Turbulence	513
Dimpal Janu and Vijay Janyani	
Multi-junction Solar Cell Based on Efficient III-V InGaP/GaAs with GaInAsP as BSF Layers	521
Priya Pandey, Abhinav Bhatnagar and Vijay Janyani	
A Brief Review on Microwave Breast Imaging Technique	533
Kajal and Monika Mathur	
Design of Planar Triple-Band Electrically Small Asymmetrical Antenna for ISM, WLAN, and X-Band Applications	539
Payal Bhardwaj and Ritesh Kumar Badhai	

Design and Study of a Photonic Crystal Fiber Biosensor Based on Surface Plasmon Resonance	551
Charanjeet Kaur, Varshali Sharma and Ritu Sharma	
Iterative Fourier Transform Optimization of Computer Generated Fourier Holograms	559
G. Kanjana, Meril Cyriac, L. Anusree, Leena Thomas, N. R. Nelwin Raj, Roshan Varghese and M. K. Sheeja	

Dual-Band Plasmonic Filter Using Nanoslit-Loaded Ring Resonator



Yazusha Sharma, Rukhsar Zafar, Ravi Jangir, Ghanshyam Singh and Mohammad Salim

Abstract Plasmonics plays a key role in dealing with the demerit of the diffraction limit which is offered by traditional optical-based devices. Here, we have investigated a simple plasmonic dual-band optical filter that operates on desired optical band. The filter is based on metal-dielectric-metal (MDM) waveguide in order to facilitate sub-wavelength confinement. The MDM waveguide is coupled to nanoslit-loaded ring resonator. The presence of nanoslit excites the special mode in the resonance spectrum, known to be Fano modes, and by varying the position of slit, resonance can be tuned accordingly.

Keywords Plasmonics · Dual-band filter · Metal-dielectric-metal (MDM) · Sub-wavelength confinement

1 Introduction

In optical communication system, several transmission bands are defined and standardized by IEEE or ITU to support different applications. The E band is typically avoided to curtail the effect of large transmission losses. E band shows high absorption peak for water content. Wavelength-division multiplexing technique is being used by several applications to carry multiple wavelengths in order to enhance the bandwidth. In the current era of optical network, S, C and L bands are being used thoroughly due to their properties of inhabiting low optical losses in glass fiber [1]. Therefore, most of the optical devices or networks are designed to operate in this desired band. The optical fiber possesses the tremendous advantage of transferring the signal worldwide with extreme speed, but the transmitter and receiver end of optical communication unit is prone to O-E-O conversion [2, 3]. This conversion is the stumbling block in high-speed optical communication system because data

Y. Sharma (✉) · R. Zafar · R. Jangir

Department of Electronics and Communication Engineering, Swami Keshvanand Institute of Technology, Management and Gramothan, Jaipur, India

G. Singh · M. Salim

Department of Electronics and Communication Engineering, Malaviya National Institute of Technology, Jaipur, India

© Springer Nature Singapore Pte Ltd. 2020

V. Janyani et al. (eds.), *Optical and Wireless Technologies*, Lecture Notes in Electrical Engineering 648, https://doi.org/10.1007/978-981-15-2926-9_30